ISSN:0975-1459

Trend and consequences of Covid -19 pandemic from 7th to 13th March, 2022 across different countries.

Adegbuyi Theophilus Adekunle¹, Samuel Sunday Agboola², Sabastine Aliyu Zubairu³, Agboola Oluwaseun Emmanuel², Olusola Abayomi John¹, Adeyemi Akinyemi Patrick¹, Joseph Oyepata Simeon^{1*}

¹Departmennt of Pharmacology and Toxicology, Faculty of Pharmaceutical Sciences, Federal University, Oye-Ekiti, Ekiti State, Nigeria. ²Department of Pharmacology, Faculty of Pharmacy, Lead City University, Ibadan, Nigeria. ²Institute of Drug Research and Development, Bogoro Research Centre, Afe Babalola University, Ado-Ekiti, Ekiti State, Nigeria. ²Department of Pharmacology and Toxicology, College of Pharmacy, Afe Babalola University, Ado-Ekiti, Ekiti State, Nigeria. ³Department of Pharmacology and Therapeutics, Faculty of Pharmacy, Gombe State University, Gombe State, Nigeria

*oyepata.joseph@fuoye.edu.ng; simeon4unme@yahoo.com

Abstract

Background and Objective: Globally, COVID-19 has killed more than 5 million individuals and affected millions more. The virus's recent identification in multiple variants has complicated the virus's containment efforts. In addition, a variety of ways have been used to comprehend and control the virus, and the creation of vaccinations has been quite beneficial. Understanding how the virus spread inside each country may help assess relative infectivity and the need for a vaccine because of the complete lack of knowledge about the virus, the scarcity of vaccine supplies, etc. Analysis and understanding of the progress, trend and consequences of the Covid -19 pandemic over seven days and across different countries of the world: 7th to 13th of March, 2022.

Materials and Methods: Data from one hundred and forty-two countries were studied based on continents, countries and cases of infection. Data were obtained from United Nations Geoschemeand WHO. They were analyzed and compared to values obtained for he United State of America (USA).

Result: Data analyzed showed that the USA has made progress in containing the virus compared to previous months and years. MostAfrican countries are relativelyunaffected while Americans and Europeans appear to be most affected. Conclusion: The result from the study shows that the Africansystem may have developed various mechanisms to cope and survive the virus pandemic compared to other regions of the world. Hence, vaccination may be Africa's least problem. Keywords: Omicron, COVID-19, transmissibility, severity, vaccination, shortage, health complications, global pressure

INTRODUCTION

Coronaviruses (CoV) is from a family of viruses that causes different form of illness ranging from the common cold to more severe diseases. On 30 January 2020¹. Dr Tedros Adhanom Ghebrevesus, WHO Director-General declared the novel coronavirus outbreak a public health emergency of international concern (PHEIC), WHO's the highest level of alarm². At that time there were 98 cases and no deaths in 18 countries outside China. On 11 March 2020, the rapid increase in the number of cases outside China led the WHO Director-General to announce that the outbreak could be characterized as a pandemic³. By then more than 118 000 cases had been reported in 114 countries, and 4291 deaths had been recorded. By mid-March 2020, the WHO European Region had become the epicentre of the epidemic, reporting over 40% of globally confirmed cases^{4,5}. As of 28 April 2020, 63% of global mortality from the virus was from the Region⁶. Several possibly variant of the Covid virus, particularly delta and omicron variant has been identified. This has complicated the progress so far achieved.

WHO has designated the COVID-19 Omicron variation as a variant of concern due to the evidence that it possesses a number of alterations that could affect its behavior^{7,8,9}. Omicron is still a subject of great ambiguity, and numerous studies are being conducted to determine its risk of reinfection, severity, and transmission. It is unknown at this time if the Omicron variety of COVID-19, including Delta, is more or less severe. The different waves of the disease have been of concern which may be

due to changes in weather and mutated strain of the virus identified in some countries^{10,11}. There is the need to understand this surge per country with the virulent and spreading ability of the newly mutated strain of the virus. Also, several studies have been carried out on the demographics strength and nature of the virus, but analyzing updated information per time is very essential in managing the trend^{12,13,14}. This study aims to analyze and understand the progress, trend and consequences of the Covid -19 pandemic from 7th to 13th of March, 2022 across different countries of the world.

MATERIAL AND METHOD

Study area: Data from March 07 to March 13, 2022, were obtained from the United Nations geoscheme and WHO (WHO 2022).

Methodology:

A total of one hundred and forty-two (142) countries across different regions of thethe world was selected based on COVID-19 incidences. The listed countries and territories with their continental regional classification were based on the United Nations geoscheme and WHO. Data obtained for each country over 7 days per 1000000 respective populations were analyzed and directly compared to that of the United States of America (USA). The USA was used as a Comparison Factor (CF) also referred to as Oyepata Factor (OF), because it has one of the best healthcare systems and still the highest cumulative COVID-19 cases with a relatively large

population in the world. All data used in these analyses are from publicly available data sets.

Statistical Analysis:

Parameters such as seven days incidences and deaths per 1000000 of the respective country population were compared against factors obtained for the USA. Bivariate analysis was done with a Chi-square test to compare proportions for variables. In reporting these results, country-level characteristics are scaled to represent a comparison of two countries similar in all other respects. Thus, rate ratios greater than one means that higher levels of a given characteristic are associated with higher rates of COVID-19 cases or deaths, while rate ratios less than one means that lower levels of a given characteristic are associated with lower rates of COVID-19 cases or deaths.

RESULT

Europe appears to be the most affected region, while most African countries, with the exception of South Africa, have gradually gained control of the situation. It was also noted that most African countries have lower mortality compared to cases of infection. **(Table 1)**.Figure 1 and 2 shows comparison factors of different countries as compared with that of USA

Table 1: Infectious and mortality rate of COVID-19 based on country								
#	Country	Cases in the last	Cases in the last 7	B A/2138	Deaths in the	Deaths in the last 7	D C/23	
		7 days	days/1M pop (A)		last 7 days	days/1M pop ©		
1	USA	713,768	2,138	1.00	7,814	23	1.00	
2	UK	355,660	5,200	2.43	834	12	0.52	
3	Germany	351,073	4,171	1.95	2,727	32	1.39	
4	France	341,428	5,214	2.44	896	14	0.61	
5	Russia	215,283	1,474	0.69	8,205	56	2.43	
6	Poland	156,825	4,150	1.94	2,804	74	3.22	
7	Turkey	139,062	1,624	0.76	1,321	15	0.65	
8	South Africa	135,803	2,249	1.05	171	3	0.13	
9	Netherlands	128,472	7,474	3.50	444	26	1.13	
10	Italy	116,436	1,930	0.90	636	11	0.48	
11	Vietnam	103,959	1,054	0.49	1,579	16	0.70	
12	Spain	98,530	2,106	0.99	250	5	0.22	
13	Czechia	93,257	8,685	4.06	714	66	2.87	
14	Belgium	87,011	7,461	3.49	280	24	1.04	
15	Switzerland	63,530	7,264	3.40	126	14	0.61	
16	Ukraine	61,615	1,421	0.66	2,747	63	2.74	
17	India	56,299	40	0.02	2,099	1	0.04	
18	Hungary	48,053	4,993	2.34	1,307	136	5.91	
19	Brazil	46,776	218	0.10	1,267	6	0.26	
20	Slovakia	45,382	8,306	3.88	528	97	4.22	
21	Denmark	45,278	7,777	3.64	68	12	0.52	
22	S. Korea	44,237	862	0.40	401	8	0.35	
23	Greece	36,656	3,542	1.66	650	63	2.74	
24	Jordan	34,077	3,293	1.54	221	21	0.91	
25	Malaysia	32,867	997	0.47	265	8	0.35	
26	Norway	32,394	5,909	2.76	43	8	0.35	
27	Austria	29,556	3,255	1.52	366	40	1.74	
28	Ireland	29,373	5,854	2.74	81	16	0.70	
29	Zimbabwe	28,094	1,851	0.87	28	2	0.09	
30	Portugal	27,501	2,708	1.27	121	12	0.52	
31	Thailand	27,405	391	0.18	227	3	0.13	
32	Canada	25,861	677	0.32	146	4	0.17	
33	Georgia	23,993	6,031	2.82	387	97	4.22	
34	Croatia	23,165	5,694	2.66	401	99	4.30	
35	Iran	20,348	238	0.11	522	6	0.26	
36	Argentina	17,779	388	0.18	125	3	0.13	
37	Mexico	17,068	130	0.06	1,466	11	0.13	
38	Colombia	12,470	241	0.00	327	6	0.46	
39	Sweden	11,914	1,169	0.55	5	0.5	0.20	
40	Bulgaria	11,528	1,677	0.78	684	100	4.35	
40	Lithuania	11,328	4,229	1.98	131	49	2.13	
41 42	Lebanon	11,253	1,659	0.78	73	11	0.48	
42	Australia	11,233	428	0.78	54	2	0.48	
43	D 1	10,910	1,155	0.20	114	12	0.52	
44	Belarus		1,155		261	30		
	Serbia	10,384	,	0.56			1.30	
46	Chile	10,257	530	0.25	185	10	0.43	
47	Slovenia	9,888	4,755	2.22	106	51	2.22	
48	Finland	9,825	1,769	0.83	61	11	0.48	
49	Bolivia	9,727	817	0.38	90	8	0.35	
50	Azerbaijan	8,092	788	0.37	121	12	0.52	
51	Peru	7,612	226	0.11	271	8	0.35	
52	Romania	7,113	373	0.17	528	28	1.22	

Table 1: Infectious and mortality rate of COVID-19 based on country

#	Country	Cases in the last	Cases in the last 7	B A/2138	Deaths in the	Deaths in the last 7	D C/23
53	Egypt	7 days 6,036	days/1M pop (A) 57	0.03	last 7 days 333	days/1M pop © 3	0.13
	Trinidad and	· · · · · ·					
54	Tobago	5,473	3,892	1.82	145	103	4.48
55	Sri Lanka	5,220	242	0.11	153	7	0.30
56	Kazakhstan	4,334	227	0.11	83	4	0.17
57	Singapore	4,151	702	0.33	35	6	0.26
<u>58</u> 59	Israel Cyprus	4,109 4,019	441 3,294	0.21	<u>12</u> 9	1 7	0.04 0.30
60	Ecuador	3,841	213	0.10	74	4	0.30
61	Venezuela	3,765	133	0.06	46	2	0.09
62	Iraq	3,491	84	0.04	93	2	0.09
63	Moldova	3,403	846	0.40	151	38	1.65
64	Bosnia and Herzegovina	3,384	1,041	0.49	234	72	3.13
65	Estonia	3,286	2,475	1.16	29	22	0.96
66	Libya	3,116	445	0.21	60	9	0.39
67	Namibia	3,053	1,171	0.55	3	0	0.04
<u>68</u> 69	Nigeria Myanmar	2,859 2,254	13 41	0.01 0.02	42	0.8	0.00 0.03
70	Pakistan	2,234	10	0.02	63	0.3	0.03
70	Palestine	2,122	402	0.19	27	5	0.22
72	Albania	2,057	716	0.33	24	8	0.35
73	Bangladesh	1,882	11	0.01	27	0.2	0.01
74	Philippines	1,832	16	0.01	894	8	0.35
75	Armenia	1,815	611	0.29	119	40	1.74
76 77	Mongolia Mozambique	1,810 1,750	540 54	0.25 0.03	17 3	5 0.1	0.22
78	Panama	1,730	392	0.03	12	3	0.00
78	Nepal	1,728	55	0.13	12	0.4	0.02
80	Uruguay	1,584	454	0.21	11	3	0.13
81	Indonesia	1,458	5	0.00	69	0.2	0.01
82	Uzbekistan	1,414	41	0.02	18	0.5	0.02
83	DRC	1,388	15	0.01	5	0.1	0.00
84	Algeria	1,379	31	0.01	42	0.9	0.04
85 86	Tunisia Qatar	1,143 1,131	<u>95</u> 403	0.04 0.19	31	3	0.13
87	Sudan	1,131	23	0.19	44	1	0.03
88	Madagascar	994	35	0.02	8	0.3	0.01
89	Maldives	908	1,638	0.77	4	7	0.30
90	Ethiopia	900	8	0.00	29	0.2	0.01
91	Kenya	898	16	0.01	13	0.2	0.01
<u>92</u> 93	Morocco Iceland	891 885	24 2,569	0.01 1.20	8 0	0.2	0.01 0.00
93	Japan	861	2,309	0.00	9	0.1	0.00
95	Botswana	788	326	0.15	2	0.8	0.00
96	Zambia	765	40	0.02	3	0.2	0.01
97	New Zealand	689	138	0.06	2	0.4	0.02
98	Mali	676	32	0.01	11	0.5	0.02
<u>99</u> 100	Isle of Man	654	7,633	3.57	1	12	0.52 0.09
100	Syria Ghana	653 627	<u>36</u> 20	0.02 0.01	37 34	2	0.09
101	Malta	612	1,381	0.65	2	5	0.04
102	El Salvador	593	91	0.03	12	2	0.09
104	Cuba	538	48	0.02	4	0.4	0.02
105	China	537	0.4	0.00	0	0	0.00
106	Mauritius	523	410	0.19	86	67	2.91
107	UAE Faces Islands	474	47	0.02	3	0.3	0.01
108 109	Faeroe Islands Costa Rica	456 432	9,281 84	4.34 0.04	0 15	0 3	0.00 0.13
110	Costa Rica Cameroon	432	15	0.04	13	0.7	0.13
110	Paraguay	383	53	0.02	27	4	0.17
112	Burkina Faso	334	15	0.01	4	0.2	0.01
113	Saudi Arabia	328	9	0.00	9	0.3	0.01
114	Uganda	318	7	0.00	14	0.3	0.01
115	Jamaica	296	99	0.05	15	5	0.22
116 117	Malawi Honduras	284 251	<u>14</u> 25	0.01 0.01	1 8	0.1 0.8	0.00 0.03
117	Mauritania	251	<u> </u>	0.01	9	0.8	0.03
110		248	131	0.02	0	0	0.09
119	Bahrain	234	151	0.00	0	U	0.00

#	Country	Cases in the last	Cases in the last 7	B A/2138	Deaths in the	Deaths in the last 7	D C/23
		7 days	days/1M pop (A)		last 7 days	days/1M pop ©	
121	Kuwait	220	50	0.02	1	0.2	0.01
122	Rwanda	220	16	0.01	1	0.1	0.00
123	Monaco	209	5,272	2.47	0	0	0.00
124	Burundi	193	16	0.01	0	0	0.00
125	Eritrea	188	52	0.02	2	0.6	0.03
126	Afghanistan	179	4	0.00	16	0.4	0.02
127	CAR	170	34	0.02	0	0	0.00
128	Angola	145	4	0.00	2	0.1	0.00
129	South Sudan	115	10	0.00	0	0	0.00
130	Gabon	114	50	0.02	2	0.9	0.04
131	Congo	96	17	0.01	5	0.9	0.04
132	Togo	96	11	0.01	0	0	0.00
133	Taiwan	85	4	0.00	0	0	0.00
134	Ivory Coast	81	3	0.00	0	0	0.00
135	Niger	81	3	0.00	7	0.3	0.01
136	Senegal	62	4	0.00	0	0	0.00
137	Yemen	44	1	0.00	17	0.6	0.03
138	Tanzania	39	0.6	0.00	4	0.1	0.00
139	Benin	34	3	0.00	0	0	0.00
140	Sierra Leone	19	2	0.00	0	0	0.00
141	Liberia	9	2	0.00	0	0	0.00
142	Chad	0	0	0.00	0	0	0.00

Sources and data used were provided under Latest Updates from WHO/World meter's from 25th Octoer to 31st October 2021




Figure 1:graph showing7 days infection case per country relative to the USA




Figure 2: graph showing death over 7 days caused by Covid-19 per country relative to the USA Footnote: X-axis represents comparison factor for different countries Y-axis represents various countries analyzed

The data in Fig. 1-2 obtained for the USA were used as the comparison factor (CF) or Oyepata Factor, which is a ratio of the figure obtained to the respective country population divided by the value obtained for the USA.

Values of CF1 (or OF1) and CF2 (or OF2) represent the case/incidence and mortality index.

Factor of more than 1 = very high infection and mortality index

Factor of approximately 1 =high infection and mortality index

Factor of ≤ 1 but ≥ 0.5 = moderately high infection and mortality index

Factor of ≤ 0.5 but ≥ 0.1 = low infection and mortality index

Factor of <0.1 = very low infection, mortality and recovery index

Oyepata factor= data obtained from a particular country divided by that of another country with significant or most prevalent case (in this case USA).

DISCUSSION

The outcome highlighted a connection between a virus that decimated the West and an apparently unaffected Africa. The outcome can be used to identify and comprehend a variety of things. Covid -19 cases are currently gradually increasing in numerous parts of the world. Introduction The fight against the virus has benefited significantly from vaccinations¹⁵⁻¹⁷. However, the recent appearance of a mutant strain known as Omicron¹⁸⁻²⁰ seems to reverse the gradual advancement of humanity. However, recent research and information seem to support the notion that the new strain is less harmful, especially to people who have already had vaccinations^{21,22}. This, therefore, emphasizes the need and global pressure for whole global vaccination. Vaccination seems to be in short supply in any part of the world. This necessitated consideration of regions or countries based on relative incidences and death. To date the best approach in combating the virus rampage is vaccination.

Based on the above result, the USA has made a tremendous stride in preventing the spread of the virus and lowering mortality when compared to the previous studies²⁴⁻²⁷. Western countries, particularly, Europe is experiencingan upsurge in cases and mortality. This may be due to the winter season. Coronaviruses die very quickly when exposed to the UV light in sunlight and like other enveloped viruses, SARS-CoV-2 survives longest when the temperature is at room temperature or lower^{28,29}. Infections caused by many respiratory viruses, which includes coronaviruses, swell in winter and drop in summer. Researchers believe it's too early in the COVID-19 pandemic to ascertain if SARS-CoV-2 becomes a seasonal virus³⁰⁻³². But growing evidence suggests that a small seasonal effect will probably contribute to bigger outbreaks in winter, based on what is known about how the virus spreads and how people behave in colder months³³⁻³⁵.

The health impact of Covid-19 appears to have the least impact in Africa. This success story is consistent with earlier research^{36,37}. Additionally, Africans demonstrated

lower infection-related mortality. This means that Africa experiences less symptoms and that, when exposed to the Western Lethal Virus, their immune systems appear to react quickly to stop future health issues. Africa is categorized as a developing or third world continent³⁸. A medical enigma has persisted regarding the cause of the pandemic's smaller tragedy in Africa. Severe^{39,40} especially for people who have already had vaccinations. Most African communities exist as a community and in dense clusters which is an obvious contrast to most developed countries that are more solitary nature^{41,42}. Therefore, there is a higher probability that most individuals in Africa may have been exposed to the virus without knowing or developing major symptoms. It has been reported, that because of poor health and lack of environmental hygiene, the immune systems of African children develop faster than those of Dutch children⁴³⁻⁴⁶. When children were exposed to similar allergens or infections in the future, their immune systems may have been reinforced and they may have been protected against acquiring asthma, allergies, and other infectious diseases⁴⁷. The information and comparison points gathered from Haiti also corroborate this viewpoint. Still one of the world's poorest nations, Haiti is the poorest nation in Latin America and the Caribbean48-50. In comparison to Covid-19, they have among the lowest rates of infection and mortality, which results in a comparison factor with little to no statistically significant value. Therefore, in Africa and Haiti, where poor environmental conditions enhance the likelihood of early exposure to particular diseases, a more powerful innate and/or adaptive immune response may have occurred. As a result countries in Africa are both vulnerable and potentially more resilient to the coronavirus.

CONCLUSION

Africa needs a vaccine, but in an emergency when compared to the western world, its survival may not be desperately dependent on vaccination, because most individuals in African countries may have been naturally and unconsciously immune. More studies and surveys need to be conducted to understand the virus infectivity and its significance to Africa and maybe the rest of the world.

Significance Statement

The study discovered that America and Europe, two of the most developed continent in the world are ironically the most affected by the pandemic. While Africa, popularly referred to as an underdeveloped continent has shown little sign of being affected by the virus. This may be due to cradle environmental exposure or vaccination against related microorganisms, which may have resulted in some kind of immunity that was beneficial against subsequent exposure. The study also revealed that Africa, like every other continent needs vaccines but is not in relatively desperate demand.

Conflict of Interest

The authors declare that there are not any potential conflicts of interest

Acknowledgement

The authors wish to appreciate and thank everyone who has contributed to the success of this study. Special appreciation to the United Nations Geo scheme and WHO for access to raw data per country was gotten.

REFERENCE

- Islam MA (2021). "Prevalence and characteristics of fever in adult and paediatric patients with coronavirus disease 2019 (COVID-19): A systematic review and meta-analysis of 17515 patients". PLOSONE. 16 (4):e0249788. Bibcode:2021PLoSO..16 497881. doi: 10.1371/journal.pone.0249788. source : https://journals.plos.org/plosone/article?id=10.1371/journal.pone. 0249788
- [2]. Lavery AM, Preston LE, Ko JY, Chevinsky JR, DeSisto CL, Pennington AF, et al. (2020). "Characteristics of Hospitalized COVID-19 Patients Discharged and Experiencing Same-Hospital Readmission – United States, March-August 2020". MMWR. Morbidity and Mortality Weekly Report. 69 (45): 1695–1699.. source: https://pubmed.ncbi.nlm.nih.gov/33822812/
- [3]. Fan Y, Zhao K, Shi ZL, Zhou P. Bat Corona viruses in China. Viruses. 2019.11 (3): 210-223.https://www.ncbi.nlm.nih.gov/labs/pmc/articles/PMC646618 6/
- [4]. Page J, Hinshaw D, McKay B (26 February 2021). In Hunt for Covid-19 Origin, Patient Zero Points to Second Wuhan Market – The man with the first confirmed infection of the new coronavirus told the WHO team that his parents had shopped there". The Wall Street Journal. Retrieved 27 February 2021. Source:https://timesofindia.indiatimes.com/india/coronavirusomicron-variant-india-february-25/liveblog/89813233.cms
- [5]. Islam MA (April 2021). "Prevalence and characteristics of fever in adult and paediatric patients with coronavirus disease 2019 (COVID-19): A systematic review and meta-analysis of 17515 patients. PLOS ONE. 16 (4): Pg 224-234. Source:https://www.researchgate.net/publication/350646864_Pre valence_and_characteristics_of_fever_in_adult_and_paediatric_p atients_with_coronavirus_disease_2019_.
- [6]. Joseph O. S, Sabastine A. Z, Joseph O. T. (2021). Clinical evaluation of the potential benefits of taking Moringa oleifera on blood triglyceride and cholesterol level in patient taking Tenofovir/Lamivudine/Efavirenz (TLE) combination. Journal of Pharmaceutical Science & Research. Vol. 13(10), 623-629. Source: https://pubmed.ncbi.nlm.nih.gov/12738086/
- [7]. Hauser A, Counotte MJ, Margossian CC, Konstantinoudis G, Low N, Althaus CL, Riou J (July 2020). "Estimation of SARS-CoV-2 mortality during the early stages of an epidemic: A modeling study in Hubei, China, and six regions in Europe". PLOS Medicine. 17 (7):
- [8]. Joseph O. S, Sabastine A. Z, Joseph O. T. (2021). Global Implication of Differential Impacts of Covid-19 on Different Countries Using the USA as A Comparism Factor. Journal of Nursing and Health Science. Volume 10, Issue 5. PP 36-44.
- [9]. Joseph O. S., Builders M., Joseph O. T., Sabastine A. Z. (2020). Assessing differential impacts of COVID-19 on African countries: A comparative study. International Journal of Research and Innovation in Applied Science. Vol. 5, Issue 5. Page 197-203. Source: https://www.rsisinternational.org/virtual-library/papers/assessing-differentialimpacts-of-covid-19-on-african-countries-a-comparative-study/
- [10]. Joseph O S., Musa T L., Joseph O T., Ibhafidon I. (2020). The Dynamics of Differential Impacts of COVID-19 on African Countries Compared to Other Parts of the World. International journal of multidisciplinary research and analysis. Volume 03 Issue 11. Page 185-198. Source: https://www.sciencedirect.com/science/article/pii/S1047279720301769
- [11]. Joseph OS, Builders M, Joseph OT, Famojuro TI, Ogira JO, Moses FD, Musa TL. (2021). Effect of the Demographic of Covid-19 on Different Countries; Using the USA for Comparism. International journal of multidisciplinary research and analysis. Volume 04 Issue 02. Page 193-203. Source: https://reliefweb.int/sites/reliefweb.int/files/resources/2020-06-25-other-covid-africa-2030.pdf
- [12]. Wertheim JO, Chu DK, Peiris JS, Kosakovsky Pond SL, Poon LL (June 2013). "A case for the ancient origin of

coronaviruses". *Journal of Virology*. 87 (12): 7039– 45. doi:10.1128/JVI.03273-12. PMC 3676139. PMID 23596293.

- [13]. Virus Taxonomy: 2018b Release". International Committee on Taxonomy of Viruses (ICTV). March 2019. Archived from the original on 2018-03-04. Retrieved 2020-01-24.
- [14]. Almeida JD, Berry DM, Cunningham CH, Hamre D, Hofstad MS, Mallucci L, McIntosh K, Tyrrell DA (November 1968). "Virology: Coronaviruses". *Nature*. 220 (5168): 650. Bibcode:1968Natur.220..650.. doi:10.1038/220650b0
- [15]. Saniasiaya J, Islam MA (November 2020). "Prevalence and Characteristics of Taste Disorders in Cases of COVID-19: A Meta-analysis of 29,349 Patients". Otolaryngology–Head and Neck Surgery. 165 (1): 33–42.
- [16]. Agyeman AA, Chin KL, Landersdorfer CB, Liew D, Ofori-Asenso R (August 2020). "Smell and Taste Dysfunction in Patients With COVID-19: A Systematic Review and Metaanalysis". Mayo Clin. Proc. 95 (8): 1621–1631.
- [17]. Saniasiaya J, Islam MA (2021). "Prevalence of Olfactory Dysfunction in Coronavirus Disease 2019 (COVID-19): A Metaanalysis of 27,492 Patients". The Laryngoscope. 131 (4): 865– 878. doi:10.1002/lary.29286. ISSN 0023-852X. PMC 7753439. PMID 33219539.
- [18]. Wu X, Nethery RC, Sabath MB, Braun D, Dominici F (2020). "Air pollution and COVID-19 mortality in the United States: Strengths and limitations of an ecological regression analysis". Science Advances. 6 (45): 342-355. Source: https://journals.plos.org/plosone/article?id=10.1371/journal.pone. 0249037
- [19]. Joseph O.S, Builders M., Joseph O, T. ,Zubairu S. A., Musa T. And Oyepata P. J (2019). Sub-Acute Toxicity Study of Ethanol Leaf Extract of Ocimum Canum on Liver of Wister Rats. International Journal of Research and Scientific Innovation. Volume VI (V). Pp. 364-369.
- [20]. Wang L, Wang Y, Ye D, Liu Q (June 2020). "Review of the 2019 novel coronavirus (SARS-CoV-2) based on current evidence". International Journal of Antimicrobial Agents. 55 (6): 105948. doi:10.1016/j.ijantimicag.2020.105948
- [21]. Oyebadejo S. A, Joseph O. S, Adesite S. O and Omorilewa A.O. (2019). Effect of Citrus Limon Juice and Tamoxifen on the Tumour growth mass Indices, Cell Proliferation, Cell Viability and Cytogenetic (Mitotic Index) of Sprague Dawley Rats Induced MCF-7 Breast Cancer Cells. Saudi Journal of Biomedical Research. (4). Pg. 216 - 225.
- [22]. Modupe I. B., Oyepata S. J. and Akpobome R. V. (2019). Effect of Parkia biglobosa extract on open skin wound healing in dexamethasone - induced hyperglycaemia and histological assessment in rats. African Journal of Pharmacy and Pharmacology. Vol. 13(8), pp. 84-89. Source: https://pubmed.ncbi.nlm.nih.gov/32419766/
- [23]. Joseph O.S., Builders M., EmemE.Uand Joseph O.T. (2019). effect of ethanol leaf extract of cassia angustifolia extract on liver of wister rats. Global Scientific Journal. Volume 8, Issue 9. Page 1112-11120. Source: https://www.globalscientificjournal.com/researchpaper/EFFECT_ OF_ETHANOL_LEAF_EXTRACT_OF_Cassia_angustifolia_ext ract_ON_LIVER_OF_WISTER_RATS.pdf
- [24]. Oran DP, Topol EJ (January 2021). "The Proportion of SARS-CoV-2 Infections That Are Asymptomatic: A Systematic Review". Annals of Internal Medicine. 174 (5): M20-6976. Source:doi:10.1016/s0065-3527(08)60721
 ISBN 9780120398287. PMC 7131312. PMID 6362367
- [25]. Islam MA (2020). "Prevalence of Headache in Patients With Coronavirus Disease 2019 (COVID-19): A Systematic Review and Meta-Analysis of 14,275 Patients". Frontiers in Neurology. 11:

562634. doi:10.3389/fneur.2020.562634. PMC 7728918. PMID 3 3329305.

- [26]. Pansini R, Fornacca D (June 2021). Early Spread of COVID-19 in the Air-Polluted Regions of Eight Severely Affected Countries. Atmosphere. 12 (6): 795. Bibcode:1968Natur.220..650.. doi:10.1038/220650b0. PMC 7086490
- [27]. Comunian S, Dongo D, Milani C, Palestini P (June 2020). Air Pollution and Covid-19: The Role of Particulate Matter in the

Spread and Increase of Covid-19's Morbidity and Mortality. International Journal of Environmental Research and Public Health. 17 (12): 4487.

- [28]. Jude E. O., Joseph O. S. and Emem E. U. (2016). Nephroprotective activity of Homaliumletestui stem extract against paracetamol induced kidney injury. Journal of Experimental and Integrative Medicine. Volume 6 (1): 38-43.https://www.semanticscholar.org/paper/EFFECT-OF-ETHANOL-LEAF-EXTRACT-OF-Cassia-EXTRACT-ON-Haruna-Simeon/e16d24e238caeca3ce50f48459b03913b903afc5
- [29]. Joseph O.S., Builders M., EmemE.Uand Joseph O.T. (2019). effect of ethanol leaf extract of Cassia angustifolia extract on kidney of Wister Rats. Global Scientific Journal. Volume 8, Issue 9. Page 1023-1031.
- [30]. Cherry, J, Demmler-Harrison GJ, Kaplan SL.; Steinbach WJ, Hotez PJ. (2018). Feign and Cherry's Textbook of Pediatric Infectious Diseases. Elsevier Health Sciences. p. 453-466.
- [31]. Woo PC, Huang Y, Lau SK, Yuen KY. (2010). Corona virus genomics and bioinformatics analysis. Viruses. 2010. 2 (8): 1804– 20.
- [32]. Almeida JD, Berry DM, Cunningham CH, Hamre D, Hofstad MS, Mallucci L, McIntosh K, Tyrrell DA . Virology: Coronaviruses. Nature. 1968. 220 (5168): 265-278.file:///C:/Users/SIMEON/Downloads/145521-Article%20Text-384803-1-10-20161010.pdf
- [33]. Jude E. O., Joseph O. S. and Emem E. U. (2016). Nephroprotective activity of Homaliumletestui stem extract against paracetamol induced kidney injury. Journal of Experimental and Integrative Medicine. Volume 6 (1): 38-43. doi:10.3390/v4123689. PMC 3528286. PMID 23235471
- [34]. Lavery AM, Preston LE, Ko JY, Chevinsky JR, DeSisto CL, Pennington AF, et al. (November 2020). "Characteristics of Hospitalized COVID-19 Patients Discharged and Experiencing Same-Hospital Readmission – United States, March-August 2020". MMWR. Morbidity and Mortality WeeklyReport. 69 (45):16951699. doi:10.15585/mmwr.mm6945e 2. PMC 7660660. PMID 33180754
- [35]. Chen N, Zhou M, Dong X, Qu J, Gong F, Han Y, et al. "Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study". Lancet. 2020. 395 (10223): 507–513. https://www.semanticscholar.org/paper/EFFECT-OF-ETHANOL-LEAF-EXTRACT-OF-Cassia-EXTRACT-ON-Haruna-Simeon/e16d24e238caeca3ce50f48459b03913b903afc5
- [36]. Domingo JL, Marquès M, Rovira J (September 2020). "Influence of airborne transmission of SARS-CoV-2 on COVID-19 pandemic. A review". Environmental Research. 188: 66-73.
- [37]. Jiang S, Xia S, Ying T, Lu L (May 2020). "A novel coronavirus (2019-nCoV) causing pneumonia-associated respiratory syndrome". Cellular & Molecular Immunology. 17 (5): 554. doi:10.1038/s41423-020-0372-4. PMC 7091741. PMID 32024976
- [38]. Joseph O. S., Jude E.O and Joseph O. T (2018). Hepatoprotective activity of extract of HomaliumLetestui stem against carbon tetrachloride-induced liver injury. Advance Herbal Medicine. Vol 4(4), Page 1-11.https://www.semanticscholar.org/paper/EFFECT-OF-ETHANOL-LEAF-EXTRACT-OF-Cassia-EXTRACT-ON-Haruna-Simeon/e16d24e238caeca3ce50f48459b03913b903afc5
- [39]. Joseph O. S., Builders M., Joseph O. T., Zubairu S.A., Musa T. and Oyepatap.j. (2019). Sub-acute toxicity study of ethanol leaf extract of Ocimumcanumonthe kidney of wistar rats. African Journal of Pharmaceutical Research & Development. Vol. 11 No.1. Page 1-7.https://scialert.net/fulltext/?doi=jps.2020.33.38
- [40]. Tamara A, Tahapary DL (July 2020). "Obesity as a predictor for a poor prognosis of COVID-19: A systematic review". Diabetes & Metabolic Syndrome. 14 (4): 655– 659. file:///C:/Users/SIMEON/Downloads/145521-Article%20Text-384803-1-10-20161010.pdf
- [41]. Petrakis D, Margină D, Tsarouhas K, Tekos F, Stan M, Nikitovic D, et al. (July 2020). Obesity A risk factor for increased COVID-19, severity and lethality (Review). Molecular Medicine Reports. 22 (1): 9–19. https://medcraveonline.com/JAPLR/comparative-

hepatoprotective-and-haematological-effects-of-the-ethanol-

extracts-of-the-leaves-of-vitex-doniana-and-senna-occidentalisin-alloxan-induced-diabetes-in-male-wistar-rats.html

- [42]. Builders M., Joseph O. S., Timothy O. O., Philip B. (2020). Antimalarial Drugs and COVID -19. Sumerianz Journal of Medical and Healthcare. Vol. 3, No. 12, pp. 111-116.https://medcraveonline.com/JAPLR/comparativehepatoprotective-and-haematological-effects-of-the-ethanolextracts-of-the-leaves-of-vitex-doniana-and-senna-occidentalisin-alloxan-induced-diabetes-in-male-wistar-rats.html.
- [43]. Solomon, I.P, Oyebadejo, S.A., Ukpo E.M. and Joseph, O.S. (2015). Changes in serum electrolyte, creatinine and urea of fresh Citrus limon juice administered to growing rabbits (Oryctolagus cuniculus). International Journal of Agricultural Science Research. Vol. 4(8), pp. 180-183.
- [44]. Solomon, I.P, Oyebadejo, S.A., Ukpo E.M. and Joseph, O.S. (2015). Effect of Fresh Citrus limon Juice on Liver Histomorphology of Growing Rabbits (Oryctolagus cuniculus). Scholars Journal of Agriculture and Veterinary Sciences.2 (5):347-351. http://saspjournals.com/sjavs
- [45]. Aprioku JS, Joseph OS, Obianime AW (2016). Quantification of Antinociceptive and Anti-Inflammatory Potentials of Different Ocimum gratissimum Linn. Leaf Extracts in Whistar Albino Rats. European Journal of Medicinal Plants. Volume 17(3). Page 1-8.
- [46]. Okokon JE., Joseph OS. and Umoh EE. (2016). Nephroprotective activity of Homalium letestui stem extract against paracetamol induced kidney injury. Journal of Experimental and Integrative Medicine. Volume 6 (1): 38-43. DOI: 10.5455/jeim.250216.or.147
- [47]. Okokon JE. O, Joseph OS. and Umoh EE. (2016). Hepatoprotective activity of Homalium letestui stem extract against paracetamol liver injury. Avicenna Journal of Phytomedicine. 13(4): 87 – 92.
- [48]. Timothy S.Y., Wazis C.H., Midala T.A. S, Joseph O.S., Sabastine A.Z., Nachanaa T. and Oiza F.D. (2017). Evaluation of Anti-Diarrhoeal Activity of Different Bark Extracts of Faidherbia albida (Delile) A (Chav) in Albino Rats. Bima Journal of Science and Technology Vol. 1 (2). Pg. 122-130
- [49]. Joseph O. S. and Joseph O. T. (2018). Hepatoprotective activity of ethanol stem extract of Homalium letestui against thioacetamide-induced liver injury. The Nigerian Journal of Pharmacy. Vol. 52 (1). Page 67-74. https://psnnjp.org/index.php/home/article/view/38
- [50]. Joseph O. S., Jude E.O and Joseph O. T. (2018). Hepatoprotective activity of extract of Homalium Letestui stem against carbon tetrachloride-induced liver injury. Advance Herbal Medicine. Vol 4(4), Page 1-11. http://futurenatprod.skums.ac.ir/article_45846_6c859a83226bb82 b7d35947e75efb91c.pdf
- [51]. Joseph SO, Okokon JE and Joseph OT. (2018). Effect of ethanol stem extract of *homalium letestui* on gentamicin-induced kidney Injury in rat. Vol. 4(2). Advanced Herbal Medicine. Page 51-64. http://fetamentamicine.com/actional.com/actional.com/ http://fetamentamicine.com/ http://fetamicine.com/ http:

 $http://futurenatprod.skums.ac.ir/article_35305_fda963b4a327090\\b76dc3dec11eb656f.pdf$

- [52]. Oluwakanyesola A. S., Joseph O. S., Jacob A., Rebecca S. M. and Joseph O. T. (2018). Sub-acute haematological toxicity study of safi® blood purifier on wister rats. The Nigerian Journal of Pharmacy. Volume 52 (20).
- [53]. Tosin JO, Wolfe OA, Iyeopu SM, Simeon JO, Chinwe A, Lubo MT. (2019). Clinical study on the effect of Moringa oleifera on serum level of glucose and tryglyceride in subjects taken tenofovir, lamivudine and efavirenz combination regimen. European Scientific Journal. Vol.15, (.21). Page 280 -293. Doi:10.19044/esj.2019.v15n21p280

URL:http://dx.doi.org/10.19044/esj.2019.v15n21p280

- [54]. Simeon JO, Builders M, Haruna WC, Tosin JO, Zubairu SA, Lubo MT. (2019). Effect of administration ethanol leaf extract of terminalia chebula on liver of wister rat. International Journal of Research and Scientific Innovation. Volume VI (Issue VII). Page 91- 97. https://www.rsisinternational.org/journals/ijrsi/digitallibrary/volume-6-issue-7/91-97.pdf
- [55]. Simeon JO, Modupe B, Haruna WC, Zubairu SA, Lubo MT, Tosin JO. (2019). Histological study of effect of ethanol stem extracts of Homalium letestui on thioacetamide - induced injury in albino rat, using various staining techniques. International

Journal of Research and Scientific Innovation. Volume VI (Issue VII). Page 77 – 85. https://www.rsisinternational.org/journals/ijrsi/digitallibrary/volume-6-issue-7/77-85.pdf

- [56]. Sabastine AZ, Musa TL, Joseph OS, Builders M, Joseph OT. (2019). Histological study of effect of ethanol stem extracts of Homalium letestui in paracetamol induced injury in albino rat, using various staining techniques. American Journal of Biomedical Science & Research. 4(2). Page 82 – 89. DOI:10.34297/AJBSR.2019.04.000768
- [57]. Joseph OS, Builders M, Joseph OT, Ariahu EC, Zubairu SA, Musa T, and Joseph OP. (2019). Toxicity study of ethanol leaf extract of ocimum canum on heart and lipid profile of wister rats. International Journal of Current Advanced Research. Volume 8. (Issue 05). Page 18800 – 18803. DOI: http://dx.doi.org/10.24327/ijcar.2019.18803.3601
- [58]. Oyebadejo S. A, Joseph O. S, Adesite S. O and Omorilewa A.O. (2019). Effect of Citrus Limon Juice and Tamoxifen on the Tumour growth mass Indices, Cell Proliferation, Cell Viability and Cytogenetic (Mitotic Index) of Sprague Dawley Rats Induced MCF-7 Breast Cancer Cells. Saudi Journal of Biomedical Research. (4). Pg. 216 - 225. DOI:10.21276/sjbr.2019.4.5.4
- [59]. Simeon JS, Builders M, Deborah IR, Zubairu SA, Lubo MT, Philip OJ, Tosin JT, Haruna WC. (2019). Sub-Acute Toxicity Study of Ethanol Leaf Extract of Terminalia chebula On Brain, Stomach and Spleen of Wister Rats. American Journal of Biomedical Science & Research. 3(3). Page 277-282.
- [60]. Joseph O.S., Builders M., Joseph O, T., Zubairu S. A., Musa T. (2019). Sub-Acute Toxicity Study of Ethanol Leaf Extract of Ocimum Canum on Liver of Wister Rats. International Journal of Research and Scientific Innovation. Volume VI (V). Pp. 364-369.
- [61]. Oyebadejo S. A, Joseph O. S, Adesite S. O and Omorilewa A.O. (2019). Effect of Citrus Limon Juice and Tamoxifen on the Tumour growth mass Indices, Cell Proliferation, Cell Viability and Cytogenetic (Mitotic Index) of Sprague Dawley Rats Induced MCF-7 Breast Cancer Cells. World Journal of Pharmacy and Pharmaceutical Sciences. (4). Pg. 216 - 225. DOI: 10.20959/wjpps20197-14087
- [62]. Modupe IB, SOyepata SJ, Akpobome RV (2019). Effect of Parkia biglobosa extract on open skin wound healing in dexamethasone induced hyperglycaemia and histological assessment in rats. African Journal of Pharmacy and Pharmacology. Vol. 13(8), pp. 84-89.
- [63]. Builder MI, Anzaku SA, Joseph SO (2019). Effectiveness of intermittent preventive treatment in pregnancy with sulphadoxinepyrimethamine against malaria in northern Nigeria. International Journal of Recent Scientific Research Vol. 10 (05), pp. 32295-32299.
- [64]. Joseph OS, Builders M, Joseph OT, Sabastine AZ, Musa Tl and Oyepata PJ. (2019). Sub-acute toxicity study of ethanol leaf extract of Ocimum canum on the kidney of wistar rats. African Journal of Pharmaceutical Research & Development. Vol. 11 No.1. Page 1-7.
- [65]. Joseph OS, Builders M, Joseph OT, Sabastine AZ, MUSA TL and Oyepata PJ. (2019). Sub-acute toxicity study of ethanol leaf extract of Ocimum canum on brain, lungs, stomach and spleen of wister rats. African Journal of Pharmaceutical Research & Development. Vol. 11 No.1. Page 35-42.
- [66]. Joseph O. S., Joseph O. T., Musa T. L and Oyepata P. J. (2019). Histological evaluation of the nephroprotective activity of the ethanol stem extracts of Homalium letestui in Gentamicin – induced albino rats injury, using various staining techniques. Global Scientific Journal. Volume 7, Issue 8. Page 1065-1087.
- [67]. Joseph O.S., Builders M., Emem E.U and Joseph O.T. (2019). Effect of ethanol leaf extract of cassia angustifolia extract on liver of wister rats. Global Scientific Journal. Volume 8, Issue 9. Page 1112-11120.
- [68]. Joseph O.S., Builders M., Emem E.U and Joseph O.T. (2019). Effect of ethanol leaf extract of Cassia angustifolia extract on kidney of Wister Rats. Global Scientific Journal. Volume 7, Issue 10. Page 106-122.
- [69]. Haruna WC, Simeon JO, Builders M, Tosin JO (2020). Effect of ethanol leaf extract of cassia angustifolia extract on heart and lipid profile of wister rats. African Journal of Pharmaceutical Research & Development. Vol. 12 No.1. Page 1-8.

- [70]. Haruna WC, Builders M, Simeon JO, Tosin JO (2020). Toxicological Study of the Effect of Ethanol Leaf Extract of Pterocarpus santalinus Extract on Liver of Wister Rats. Nigeria biomedical Science Journal. Page 17-29.
- [71]. Wazis CH, Joseph OS, Modupe B, Joseph OP (2020). Effect of Ethanol Leaf Extract of Pterocarpus santalinus Extract on Kidney of Wister Rats. Nigerian Biomedical Science Journal Vol. 17 No 1. Page 35-47.
- [72]. Builder M.I., Joseph S.O, Olugbemi T.O. and Akande, T (2020). Toxicity. Studies of extract of African Mistletoe: Agelanthus Dodoneifolius Polh and Wiens in Rats. Nigeria biomedical Journal. Page 113-130
- [73]. Builders M. I., Joseph S.O., Bassi PU. (2020). A Survey of Wound Care Practices by Nurses in a Clinical Setting. International Journal of Healthcare and Medical Sciences. Vol. 6, Issue. 5, Page 74-81.
- [74]. Joseph O. S., Builders M., Joseph O. T. (2020). Effect of Caffeine on Diazepam - Induced Sedation and Hypnosis in Wister Rat. Global Scientific Journal. Vol. 8, Issue 9. Page 451-466
- [75]. Joseph O. S., Builders M., Joseph O. T., Sabastine A.Z. (2020). Assessing differential impacts of COVID-19 on African countries: A comparative study. International Journal of Research and Innovation in Applied Science. Vol. 5, Issue 5. Page 197-203
- [76]. Simeon JO., Lubo MT., Tosin JO., Irabor I. (2020). The Dynamics of Differential Impacts of COVID-19 on African Countries Compared to Other Parts of the World. International journal of multidisciplinary research and analysis. Volume 03 Issue 11. Page 185-198.
- [77]. Builders MI, Simeon JO, Ogundeko TO, Builders P. (2020). Antimalarial Drugs and COVID -19. Sumerianz Journal of Medical and Healthcare. Vol. 3, No. 12, pp. 111-116.
- [78]. Zubairu SA, Simeon JO, Tosin JO (2021). Effect of ethanol leaf extract of Terminalia chebula extract on kidney of wister rats. Global scientific Journal. Volume 9, Issue 2. Page 514-526.
- [79]. Joseph OS, Builders M, Joseph O T, Famojuro TI, Ogira JO, Moses FD, Musa TL. (2021). Effect of the Demographic of Covid-19 on Different Countries; Using the USA for Comparism. International journal of multidisciplinary research and analysis. Volume 04 Issue 02. Page 193-203.
- [80]. Joseph SO, Opeyemi JT. (2021). Effect of Clinical Study of Moringa oleifera on Body mass index, Low density lipoprotein and Triglyceride level in Patients on Tenofovir/lamivudine/efavirenz Combination Therapy. Advanced Herbal Med. Vol. 6. Issue 1. Page. 14-27.
- [81]. Zubairu SA, Festus OA, Simeon JO, Irabor I, Tosin JO. (2021). Effect of Anacardium occidentale Fruit Juice Extract on Haematological Parameters and Spleen of Paracetamol Induced Injury in Albino Rats. Global Scientific Journal. Volume 9, Issue 7. Page 1640-1654.
- [82]. Sabastine AZ, Joseph OS, Joseph OS, Famojuro TI, Olorunfemi AF. (2021). Effect of Cashew apple juice (Anacardium occidentale L.) on Hematology and Spleen of Gentamicin Induced Injury in Albino Rats. Global Scientific Journal. Volume 9, Issue 7. Page 3686-3698.
- [83]. Tosin JO, Zubairu SA, Simeon JO. (2021). Clinical Effect of Moringa oleifera on Body Mass Index, Triglyceride and High Density Lipoprotein in Subjects Taken Tenofovir Combination Regimen. European Journal of Biology and Medical Science Research. Vol.9, No.4, pp.6-19.
- [84]. Smeon JO, Zubairu SA, Tosin JO. (2021). Global Implication of Differential Impacts of Covid-19 on Different Countries Using the USA as A Comparism Factor. Journal of Nursing and Health Science. Volume 10, Issue 5. PP 36-44.
- [85]. Simeon JO, Simeon JO, Zubairu SA, Adegbenga AD (2021). Concomitant administration of ethanol leaf extract of Thymus vulgaris on Diazepam– induced Sedation and Hypnosis in Wister Rat. Journal of Nursing and Health Science. Volume 16, Issue 5. PP 04-09.
- [86]. Simeon JO, Zubairu SA, Tosin JO (2021). Clinical evaluation of the potential benefits of taking Moringa oleifera on blood triglyceride and cholesterol level in patient taking Tenofovir/Lamivudine/Efavirenz (TLE) combination. Journal of Pharmaceutical Science & Research. Vol. 13(10), 623-629.

- [87]. Oyepata JS. (2021). The Earth: A Lost Planet from another Universe. International Journal Of Multidisciplinary Research And Analysis. Volume 04 Issue 12. Page 1795-1797
- [88]. Simeon JO, Tosin JO, Adegbenga AD. (2021). The Relative Global Consequences of Cumulative Distribution of Covid-19, Using the USA as Comparism Factor and Cumulative Covid -19 Data of 31st October 2021. International Journal of Multidisciplinary Research And Analysis. Page 1906 -1917.
- [89]. Joseph O.T., Joseph O. S., Chinwe A. F. (2021). Clinical Study on the Effect of Moringa oleifera on Body mass index, Serum Level of High density lipoprotein and Triglyceride in Subjects Taken Tenofovir, Lamivudine and Efavirenz Combination Regimen. J RNA Genom 2021 Volume S04 Issue 004. Page 1-6.
- [90]. Zubairu SA, Simeon JO, Tosin JO (2022). Analysis and understanding the progress, trend and consequences of Covid -19 pandemic over a seven days period across different countries of the world. International Journal of Advances in Engineering and Management (IJAEM). Volume 4, Issue 2 pp: 1588-1598.
- [91]. Simeon JO, Tosin JO, Zubairu SA, Oyepata JS (2022). Studying the trend and progress on Covid-19 pandemic from 29th January to 4th of February 2022 across different countries of the world. International Journal of Research and Innovation in Social Science (IJRISS) |Volume VI, Issue II. Page 499-505.
- [92]. Simeon JO, Tosin JO, Zubairu SA, Daniel MF. (2022). Toxicological evaluation of Lavandula stoechas on heart and blood of wistar rat. International Journal of Advances in Engineering and Management (IJAEM). Volume 4, Issue 4 Apr 2022, pp: 1233-1241.
- [93]. Simeon JO, Zubairu SA, Tosin JO, Sunday SB. (2022). Update report and analysis on the global trends and progress of Covid -19 pandemic on 18th January, 2022 across different countries of the world. International Journal of Research and Innovation in Applied Science (IJRIAS) |Volume VII, Issue IV. Page 58 -66.
- [94]. Joseph O. T., Olorunfemi A. F., Sabastine A. Z., Sebastine B. S., Joseph O. S.. (2022). Understanding the cumulative distribution, implication and progress on Covid -19 pandemic as at 7th of February 2022 across different countries of the world: An update report. International Journal of Research and Innovation in Social Science (IJRISS) |Volume VI, Issue IV. Page 691-699.
- [95]. Simeon, J.O., Tosin, J.O., Zubairu, S.A. (2022). Cumulative evaluation of demography and distribution of COVID-19 around the globe: An update report of COVID-19 until 17th February 2022. Int J Epidemiol Health Sci;3(6): e34. Doi: 10.51757/IJEHS.3.6.2022.251435.page 1-19.
- [96]. Oyepata JS, Simeon JO. (2022). The Earth: An Alien Planet in Another Universe. Global Journal of Science Frontier Research: A Physics and Space Science. Volume 22 Issue 1. Page 55-57.
- [97]. Joseph O. S., Sabastine A. Z, Joseph O. T., Adegbuyi T. A.(2022). An Analysis of Daily distributive effect of COVID-19

Pandemic across the Globe Using the USA as a Comparism Factor: An update report of 17th of February, 2022.

- [98]. Simeon JO, C Ariahu Emmanuel, Tosin JO, Zubairu SA. (2022).Virological and immunological consequences of Covid -19 pandemic distribution across different countries; A seven days update study. International Journal of Advances in Engineering and Management (IJAEM) Volume 4, Issue 8. pp: 871-883
- [99]. Tosin JO, Simeon JO. (2022). Mathematical and demographic understanding on the effect Covid 19 across the country of the world; An update report of cases and death from 2nd to 8th of August, 2022. International Journal of Advances in Engineering and Management (IJAEM) Volume 4, Issue 8. pp: 891-903.
- [100]. Modupe BI, Simeon JO, Tosin JO. (2022). Toxicological study of ethanol extract of Lavandula stoechas on Liver of Wistar rat. International Journal of Advances in Engineering and Management (IJAEM) Volume 4, Issue 9. pp: 892-901.
- [101]. Modupe BI, Simeon JO, Oyepata JS, Tosin JO. (2022). Update report on comparism and analysis on the progress made in cases and death of COVID-19: A seven days study. International Journal of Advances in Engineering and Management (IJAEM) Volume 4, Issue 9 Sep. 2022, pp: 902-915
- [102] Simeon JO. (2022). UFOS and Human: Understanding the Relevance, Purpose and Humofunctional Implication. International Journal of Research Publication and Reviews, Vol 3, no 9, pp 1304-1308.
- [103]. Builders Iretiola M, Joseph Oyepata S, Joseph Opeyemi T. (2022). Toxicological Study of Ethanol Extract of Lavandula Stoechas on Kidney of Wistar Rat. International Journal of Research Publication and Reviews, Vol 3, no 9, pp1290-1298.
- [104]. Joseph Oyepata Simeon, Joseph Opeyemi Tosin, Moses Femi Daniel, Ariahu Emmanuel C. (2022). COVID-19 Cases and Mortality Report Across Countries of the World, using USA as a Comparism Factor: An Update Report 18th to 24th of August, 2022. International Journal of Research Publication and Reviews, Vol 3, no 9, pp 1262-1272.
- [105]. Simeon, J.O., Tosin, J.O. (2023). Update report on Virological and mortality distribution and implication of COVID-19 pandemic across the globe from 28th January to 3 rd February 2022. Int J Epidemiol Health Sci 2023;4:e47. doi: http://doi.org/10.51757/IJEHS.4.2023.696940.
- [106]. Etuk IC, Udobang JA, Daniel AO, Ekong O, Okokon JE, Joseph OS. (2023). Effect of leaf extract and fractions of *Solanum* anomalum on oxidative stress markers, kidney function indices and histology of alloxan-induced diabetic rats. Journal of Current Biomedical Research. Vol 3. Page 783-799. https://doi.org/10.54117/jcbr.v3i1.4