

CONCLUSION

The reporting rate appeared to be low so there is need for increasing knowledge and awareness. Geriatrics and females were most affected with ADRs. Antimicrobial drugs being mostly affecting class of drugs. There is need for establishing ADR monitoring centre at every multidisciplinary hospital. Also, more original studies need to be conducted in Indian population to know the exact prevalence of ADRs in Indian hospitals.

The pattern of ADRs reported in our hospital is comparable with the results of other studies. It provides a database of ADRs due to common drugs used in our hospital, which will help clinicians for optimum and safe use of these drugs. Hence strict vigilance is required for the use of these likely drugs and their safety assessment.

REFERENCES

- Vora M, Trivedi H, Shah BK, Tripathi CB. Adverse drug reactions in inpatients of internal medicine wards at a tertiary care hospital. A prospective cohort study. *J Pharmacol. Pharmacother*; 2011, Jan-Mar; 2(1) : 21-25. (Pub Med.)
- Padmaja U, Adhikari P, Pereira P. A prospective analysis of ADRs in a south Indian Hospital. *Online Journal of Health Allied sciences* 2009; 8(3) : 12.
- WHO technical report 2002
- Pirmohamed M, James S, Meakin S, Green C, Scott AK, Walley TJ, Farrar K, Park BK, Breckenridge AM. ADRs as cause of admission to hospital: prospective analysis of 18, 820 patients *BMJ* 2004; 329: 15-19.
- Sriram S, Ghasemi A, Ramasamy R, Devi M, Balasubramanian R, Ravia TK, Sabzghabae AM, Prevalence of ADRs at a private tertiary care hospital in South India. *Journal of research in Medical sciences* 2011; 16{1}: 16-25.
- Lazarou J, Pomeranz BH, Corey PN, Incidence of adverse drug reactions in hospitalized patients; A meta analysis of prospective studies. *J Am Med Assoc.* 1998; 279:1200-5
- Boeker E, Boer M, Kiewiet, Lie-A-Huen L, Dijkgraaf, & Boermeester, M. Occurrence and preventability of adverse drug events in surgical patients: a systematic review of literature. *BMC Health services Research* 2013, 13:364.
- Ubbink DT, Visser A, Gouma DJ, et al. Registration of surgical adverse outcomes: a reliability study in a university hospital. *BMJ, Open* 2012; 2:e000891. doi:10.1136/bmjopen-2012-000891
- Pankaj Gupta et al /J. Pharm. Sci. & Res. Vol.3(2), 2011,1064-1069
- Swamy S, Bhanuprakash, Nadig P, Muralimohan and shetty M. (2013) Profile of suspect adverse drug reactions in a teaching tertiary care hospital. *J Pharmacol clin toxicol* 1(1): 1005.
- Baniasadi S, Fahimi F, Shalviri G . Developing an adverse drug reaction reporting system at a teaching hospital. *Basic and clinical pharmacology and toxicology* 102, 408-411.
- Arulmani, R, Rajendran S.D., Suresh B: Adverse drug reaction monitoring in a secondary care hospital in South India, *Br. J Clin Pharmacol* 2008, 65; 210-216.
- Ramesh M, Pandit J, Parthasarathi G: Adverse drug reactions in a South Indian hospital their severity and cost involved. *Pharmacoepidemiol Drug Saf* 2003, 12: 687-692.
- Khurshid et al *DARU Journal of Pharmaceutical science* 2012, 20;34. <http://www.darujps.com/content/20/01/34>
- Edwards. R., Aronson J: Adverse drug reactions: definition, diagnosis and Management. *The Lancet* 2000; 356:1255-59
- Caranosos GJ, Stewart RB, Cluff LE (1974) Drug induced illness leading to hospitalization *JAMA* 228: 713-717.
- Rajesh R ,Ramesh M, Partha sarathi G (2008) A study on adverse drug reactions related hospital admission and their management *Indian J Hospital Pharm* 45:143-148
- Benzamin H , Louis MJ, Maryse LM 2002 Adverse drug reactions off label drug use in pediatrics outpatients *BRJ Clin Pharmacol.* 54, 665-670
- BeraJ, Piere A ,Giraudean ,Burno,Blanc, Pascal, Beau-Salinas , Frederique ,Autret-leca , Elisabeth 2002, Frequency of adverse drug reactions in children ; a prospective study . *Br J Clin Pharmacol.* 53, 207-210.
- Misbah M, Hussain, Kundlik, Girhepunj, Ranjupal, Sugra S, Siddiqua. 2010 Included of adverse drug reactions in a tertiary care hospital a systematic review and meta-analysis of prospective studies. *Der pharmacia letter* 2(3), 358-368.
- Oshikoya K.A, Najokamma O.F, Chukwara HA, Ojo IO, 2007 Adverse drug reactions in Nigerian Children *Paediatr Perinat Drug Ther.* 8, 81-88
- Rao P, Archana B, Jose J. Implementation and results of an adverse drug reaction reporting programme at an Indian teaching hospital .*Indian J pharmacol* August 2006; Vol. 38: Issue : 293-294
- Stavreva G, Pendicheva D, Pandurska A, Marev R. 2008 Detection of adverse drug reactions to antimicrobial drugs in hospitalized patients . *Trakio J. Sci* 6(1) 7-9
- Gomes , Rebelo E , Pascal D ,2005 ,Epidemiology of hypersensitivity drug reactions *curr . opin. Allergy Clin. Immunol.* 5, 309-316.
- Patidar D, Rajput M, Nirmal N, Savitiri W. Implementation and evaluation of adverse drug reaction monitoring system in a tertiary care teaching hospital in Mumbai, India. *Interdiscip Toxicol.* 2013; vol 6(1): 41-46.